



**DECOMIX** ®  
ZWEITAKT-SONDERKRAFTSTOFF

**DECOKRAFT** ®  
VIERTAKT-SONDERKRAFTSTOFF

Environmentally friendly  
special fuels for forestry  
and market gardening

- ✓ German standard DIN 51641
- ✓ Swedish standard SS 155461
- ✓ Swiss standard SN 181163



# Selecting the correct fuel

Special fuel for two-stroke and four-stroke engines has become more important with regard to health and environmental aspects. The benefits of ready-to-use special fuels over conventional fuel and mixtures are already commonly known.

Not only professionals from forestry and market gardening but also an increasing number of private consumers rely on Oecomix 2T® and Oecokraft 4T® – and with good reason!



## Quality “Made in Germany”











**Oecomix 2T® and Oecokraft 4T® are special fuels for two-stroke and four-stroke engines especially developed and manufactured by Oest. Most modern laboratory technology, long-time experience and the application of high-quality raw materials from Germany are the base of the well-engineered and well-proven in practice formulation.**

OEST LUBRICANTS GmbH & Co. KG is one of the market leading manufacturers of special fuels in Germany, with headquarters in Freudenstadt in the Black Forest. The fact that Oecomix 2T® and Oecokraft 4T® are produced by

Oest in-house allows continuous product innovation and maximum transparency in quality assurance. The heart of this process is the in-house high-tech laboratory. This is where graduate chemists, engineers, lab assistants and application engineers work on continuous product innovations and ensure the certified quality assurance processes.

Naturally this high level of competence, experience and innovative technology is reflected in the quality! This is repeatedly proven through scientific tests and the close cooperation with institutes, associations and renowned engine manufacturers.

## Special fuels vs. benzine

	 	Conventional benzine/ petrol station mixtures
Environmental perils	 Non-hazardous to the environment (GHS)	 Hazardous to the environment (GHS)
Contents	 Higher purity, also free from benzol	 A multitude of toxic substances
Exhaust emission characteristics	 Less toxic substances	 High exhaust load
Storage life	 5 years*)	 A few weeks

\*) Applicable up to 5 years after production date in air-tight closed original packaging and storage in a dry, dark and cool storage room.



# Oecomix 2T<sup>®</sup> and Oecokraft 4T<sup>®</sup> – because it pays off

There is no question – quality has its price. But a closer look reveals that this additional quality and safety pays off in the long run. High-quality products are usually the more cost-

efficient alternative in the long term. That is also the case for the original Oecomix 2T<sup>®</sup> and Oecokraft 4T<sup>®</sup> special fuels from Oest.

## The advantages at a glance

- Maximum performance at low and high engine temperatures
- Improved cold start properties
- Optimum lubrication
- Excellent engine cleanliness, combustion without residue, smokeless
- Reduced wear – increased service life of the engine
- Free from harmful benzene, low on aromatics and sulphur
- Minimised exhaust smell
- Not dangerous to the environment – Oecomix 2T<sup>®</sup> and Oecokraft 4T<sup>®</sup> do not need to carry a warning symbol
- Own production “Made in Germany”
- Improved recyclable 5 litre container with child-proof closure
- Tested and certified by the German Governing Body for Forestry Work and Technology KWF
- Applicable up to 5 years when stored properly \*)

...for people,  
engines and the  
environment!



# Strong performance – versatile applications

With the increasing variety of equipment, machines and brands as well as the continuous further development of powerful two-stroke and four-stroke engines, many people wonder about the “right” fuel.

Oecomix 2T® and Oecokraft 4T® make individual mixes from the filling station a thing of the past. With special fuels from Oest you are on the safe side – for all brands of air-cooled two-stroke and four-stroke engines as well as for equipment with high and with low operating temperatures.

## Advantages for the engine

- Maximum performance and optimised acceleration
- Low consumption
- Better cold start behaviour
- Optimum lubrication and engine cleanliness - therefore less servicing
- Lower engine wear – longer service life



**Oecomix 2T® is the ideal fuel for all two-stroke engines, e.g.:**

- Power saws
- Power scythes
- Two-stroke mowers
- Hedge trimmers
- Disc grinders
- Mopeds etc.



**Oecokraft 4T® is the ideal fuel for all four stroke engines, e.g.:**

- Go-carts
- Two-wheeled vehicles
- Lawnmowers
- Snow blowers
- Power generators etc.



Oecomix 2T® and Oecokraft 4T® are available in 5, 20, 60 and 200 litre containers.



Optionally available with a reusable tap.





## Clean and safe – for people and nature

**Only few fuel types can be sold without the label “dangerous to the environment” – but Oecomix 2T® and Oecokraft 4T® can!**

Conventional fuel contains a variety of mostly harmful substances. Oecomix 2T® and Oecokraft 4T® on the other hand consist of only few components, which means: more purity – fewer harmful substances. Oest special fuels are free from benzene and low in aromatics and sulphur. Oecomix 2T® and Oecokraft 4T® are therefore not only more powerful, they also offer crucial benefits with regard to user health and environmental protection. Oecomix 2T® and Oecokraft 4T® minimise health hazards and the impact on people and nature.

Oecomix 2T® and Oecokraft 4T® comply with the German standard DIN 51641 for special fuels, the Swedish standard SS 15 54 61 and the Swiss standard SN 181 163. They were successfully tested by the German Governing Body for Forestry Work and Technology (KWF).

They also correspond to the substitution recommendation of the German Employer's Liability Insurance Association. According to this, the employer is obliged acc. to the hazardous materials regulation and the employment protection act to apply always the less dangerous version of hazardous material.

### Advantages for the environment

- Lower fuel consumption, e.g. through optimised cold start behaviour
- Reduced emission of harmful substances, e.g. with regard to environmentally harmful sulphur
- Free from harmful benzene and lead
- The contained two-stroke oil is fully synthetic and burns without residue
- Less fuel fumes and exhaust gases – nearly odourless, smokeless combustion





## A strong partner for quality-oriented specialist dealers

**Oecomix 2T® and Oecokraft 4T® are the ideal special fuels for demanding customers who rely on the competent advice and the long-lived quality products from specialist dealers.**

With Oecomix 2T® and Oecokraft 4T®, dealers and customers can be on the safe side. And precisely that is our claim: **successful sales partners – enthusiastic customers!**

Our selected sales partners benefit from comprehensive service, intensive cooperation for sales promotion and public relations as well as our personal support. We also always keep an eye on the economic efficiency and profitability of our products for our trading partners, alongside fair pricing, targeted sales promotions and our well thought-out logistics concept.

Our special fuel products are supplemented by high-quality accessories, such as our dispenser systems for all available container sizes and an extensive product range for lubricants, engine oils, gear oils and hydraulic oils – directly from the manufacturer.

### OEST LUBRICANTS GmbH & Co. KG

Georg-Oest-Straße 4  
D-72250 Freudenstadt  
Tel. +49 7441 5390  
Fax +49 7441 539149  
[sonderkraftstoff@oest.de](mailto:sonderkraftstoff@oest.de)

[www.oecomix.com](http://www.oecomix.com)

